

Experience the newly redesigned Circle Fitness R6 Recumbent Bike, the latest addition to our Core Series for light commercial use. With our new ergonomic design, the R6 provides a comfortable and efficient workout experience. The eco-friendly parts and assembly process make this bike an environmentally conscious choice, while easy maintenance ensures a hassle-free ownership experience.

Our rigorous quality control measures ensure that only the best components are used in the construction of the R6, guaranteeing a long-lasting and high-performance machine. The Circle Fitness R6 Recumbent Bike is an excellent choice for gyms and fitness enthusiasts looking for a reliable, eco-friendly, and easy-to-maintain workout machine.

#### TWO CONSOLE OPTIONS AVAILABLE





TC



### FEATURES OF THE CIRCLE FITNESS R6 RECUMBENT BIKE

#### **Slip-Resistant Pedals**



Slip-resistant pedals make sure that the users feet are secure on the pedals while riding.

## Walkthrough Design



Makes accessing to eguipment easy and comfortable. In additions, it's spacy for mounting and dismounting.

# **Easy Strap**



Getting in and out of the pedals only takes one hand with our easy strap technology.

# **HR Sensors & Telemetry**



Monitoring heart rate is simple with handgrip equipped sensors or optional wireless telemetry strap.

### **Bottle Holder**



Storage for bottle for users to have easy access to while working out.

# **USB charging & Program Update**



USB charging function/ program update for easy after-service maintainace and for quick charging.



|                               | TECHNICAL SPECIFICATIONS                                    |  |  |
|-------------------------------|---|--|--|
| Q FACTOR (PEDAL SPACING)      | 9.5 in (24 cm)  | 9.5 in (24 cm)   |  |
| DRIVE SYSTEM                  | Self-Generating Electric Hybrid with Flywheel               | Self-Generating Electric Hybrid with Flywheel                  |  |
| RESISTANCE LEVEL              | 16 levels   |  |  |
| RESISTANCE SYSTEM             | Magnetic  |  |  |
| MAXIMUM USER WEIGHT           | 300 lbs (135 kg)  | 300 lbs (135 kg)   |  |
|                               | ELECTRICAL SPECIFICATIONS                                   |  |  |
| POWER REQUIREMENT (R6)        | Self Generation   |  |  |
| POWER REQUIREMENT (R6 SPORT)  | 100 ~ 240V ± 10 50/60Hz                                     | 100 ~ 240V ± 10 50/60Hz  |  |
| MAXIMUM WATT @ 60 RPM         | 250W  |  |  |
| MINIMUM WATT @ 60 RPM         | 50W   |  |  |
| MINIMUM RPM (R6)              | 30 RPM  |  |  |
| MINIMUM RPM (R6 SPORT)        | 10 RPM  |  |  |
|                               | FRAME   |  |  |
| FRAME MATERIAL                | Steel   |  |  |
| NET WEIGHT OF FRAME & CONSOLE | LED<br>152.9 lbs (69.5 kgs)                                 | TOUCH<br>153.9 LBS (69.8 KGS)                                  |  |
| PACKAGED WEIGHT               | LED<br>168.3 lbs (76.5 kgs)                                 | TOUCH<br>169.6 LBS (76.9 KGS)                                  |  |
|                               | DIMENSIONS  |  |  |
| EQUIPMENT DIMENSIONS          | 61 (L) X 25 (W) X 52 (H) in / 1550 (L) X 630 (W) X 1320 (H) | 61 (L) X 25 (W) X 52 (H) in / 1550 (L) X 630 (W) X 1320 (H) mm |  |
| PACKAGING DIMENSIONS          | 66 (L) X 13 (W) X 29 (H) in / 1670 (L) X 320 (W) X 730 (H)  | 66 (L) X 13 (W) X 29 (H) in / 1670 (L) X 320 (W) X 730 (H) mm  |  |



#### TWO CONSOLE OPTIONS AVAILABLE





LED

**TOUCH** 

|                            | DISPLAY  |   |
|----------------------------|--|---|
| SCREEN                     | 2.8" Touchscreen + LED Windows   | 10.1" with touch  |
| LANGUAGE OPTIONS           | 15 languages, English, German, Spanish,<br>Dutch, Portuguese, Thai, Swedish, Russian,<br>French, Arabic, Japanese, Turkish, Vietnamese,<br>Chinese (simplified & traditional)  | 15 languages, English, German, Spanish,<br>Dutch, Portuguese, Thai, Swedish, Russian,<br>French, Arabic, Japanese, Turkish,<br>Vietnamese, Chinese (simplified & traditional)   |
| PRE-PROGRAMMABLE WORK OUTS | Training Course (8) - (Manual / Rollinghills<br>/ Mountain Peaks / Fat Burn / Incline /<br>Strength / Interval / Constant Wattage)<br>Target Training (3) - (Time/Distance/Calories)<br>HRC (4) - (Fatburn / Aerobic / Performance/ Customize) | Training Course (8) - (Manual / Rollinghills<br>/ Mountain Peaks / Fat Burn / Incline /<br>Strength / Interval / Constant Wattage)<br>Target Training (3) - (Time/Distance/ Calories)<br>HRC (4) - (Fatburn / Aerobic / Performance / Customize |
| QUICK START                | Yes  | Yes   |
|                            | INTEGRATION  |   |
| BODY ANALYZER              | N/a  | N/a   |
| EXERCISE DATA              | N/a  | N/a   |
| WEARABLE APPS              | N/a  | N/a   |
| CircleCloud GO             | N/a  | N/a   |
| ENTERTAINMENT APPS         | N/a  | N/a   |
| FACILITY MANAGEMENT        | N/a  | N/a   |
| CONNECTIVITY               |  |   |
| USB                        | Program Update & Charging  | Program Update & Charging   |
| LAN                        | N/a  | N/a   |
| CSAFE (POWER ONLY)         | Optional   | Optional  |
| BLUETOOTH                  | N/a  | N/a   |
| WiFi                       | N/a  | N/a   |
| HEART RATE (HR) DETECTION  | Hand Pulse (5kHz Wireless)   | Hand Pulse (5kHz Wireless)  |
| FAN                        | N/a  | N/a   |

# CircleFitness.com

Here at Circle Fitness, we have been providing high quality, efficient, easy to use, and durable fitness equipment for twenty plus years. Quality is foremost when it comes to our equipment. We fully assemble each piece of our equipment in the factory to ensure that every feature and component operates as it should, and it can be easily assembled without problems. Very few companies in our industry perform this level of quality control. Our top tier quality is a result of using high quality materials in everything we build. We use military grade eight bolts to ensure a stable and reliable machine. These standards allow our products to offer full commercial quality even on light commercial products.



**ALWAYS MOVING FORWARD**